



The Garage Door Company Door Range

THE EXCLUSIVE SUPPLIER OF CARDALE GARAGE DOORS



German Engineering, Built in Britain.

Welcome to The Garage Door Company

At The Garage Door Company, we have decades of industry experience to help you get the perfect garage door for your home. You'd expect The Garage Door Company to have learned a thing or two over the 35+ years we've been in business. We have become the leading name in garage doors for quality, and for good reason.

Our vast range has helped us become the largest retailer of garage doors in the UK. If you want something particular, we'll almost certainly be able to help. But that's not what makes us successful.

Our customers tell us it's the attention to detail that sets us apart. It's how we serve our customers – with focus and attention – and the detail we apply to the manufacture and installation that can't truly be matched. For most, price is secondary to the service.

The Garage Door Company Ltd is proud to be the sole supplier of Cardale Doors. Cardale has been manufacturing garage doors in the UK for nearly 60 years. The name represents the best in reliability, safety and security.



Contents

Let's start with...

Selecting the right opening	4-5
Safety and security	6-7
Energy efficiency / CardaleTherma	8-9
Automation	10
Cardale Give Your More	11
Steel colour options	12

Police Security Initiative

Secured by Design doors	12-13
-------------------------	-------

Steel Up and Over Doors

White powder-coated steel	14-15
Coloured steel	16-17
Golden Oak / Rosewood steel	18-19

Steel Side Hinged Doors

Side hinged steel coloured	20-21
Side hinged DuoPort	22-23

Timber Up and Over Doors

Timber up and over doors	24-25
--------------------------	-------

Timber Side Hinged Doors

Timber side hinged	26-27
--------------------	-------

Composite Up and Over Doors

GRP doors	28-29
-----------	-------

Insulated Sectional Doors

Thermalift 45/20	30-35
Wicket doors	36-37
Colours	38
Glazing	39

Roller Doors

Thermaglide 77/55	40-47
Steeline	48-49

Side Doors

Side entrance doors	50
---------------------	----

Let's finish with...

Glazing options	50
Handles and operators	51






What's in
the small print?

For full Terms and Conditions, scan the QR code

WHICH DOOR?




Selecting the right opening

There are a few factors to consider before finding the perfect door for your home or commercial building. To help you find the right type of garage door, consider the building and space you have to work with, including the ceiling height.



The Garage Door Company are the exclusive supplier of Cardale garage doors who have been manufacturing garage doors for over 50 years. Cardale has brought many innovations and firsts to the garage door industry:

- Cardale introduced the concept of the 'panel door', from which the majority of today's garage door designs are derived!
- Cardale designed the Bedford up and over door, the first to give the appearance of traditional side hinged doors



Automation

With such convenience at your fingertips you will wonder how you ever got by without the added luxury of Automation for your sectional door. See page 8

Canopy Doors

1 Up and over canopy doors are the most popular style of lifting gear in the UK with a vast range of door styles to suit. Ideally matched to where there is limited headroom for tracks.

Retractable Doors

2 An alternative lifting gear for use with up and over doors. Horizontal tracks are attached to the top of the door frame to guide the door open, providing an exceptionally smooth opening and closing action.

Roller Doors

3 Roller doors travel vertically, forming a compact coil above the opening, meaning minimum space requirements both inside and out. Slimmed down versions requiring even less headroom are available for the Thermaglide range.

Side Hinged Doors

4 Popular 'traditional' operation and ideal if there are obstructions within the garage. Excellent security and very durable construction ensure long trouble-free service.

Sectional Doors

5 Vertical opening allows 'parkright-up' convenience, whilst the extension or torsion spring operation gives a super smooth mechanism. Enclosed moving parts and push away joints to the panels make for finger safe operation.

Getting your garage door right is important, especially since it is something that keeps valuables safe and gives a great first impression. It isn't just about picking out whichever you think looks the best, there are other details to also take into consideration. This quick guide will help you come to the right decision.

The Garage Door Company offer a wide range of doors that operate in several different ways.

Depending on your preference and the physical characteristics of your garage, some types of operation may be more suitable for you than others. The information here will give you an insight into the choice of operating mechanisms and their features.

SECURITY

“Cardale security is undoubtedly Best in Class”



What makes Cardale most popular is our secure doors, offering you more protection and peace of mind.

Our garage doors are fully automated so there is no lock to pick or force! Rolling code technology in the control system ensures criminal 'code grabbing' is eliminated.

The Cardale garage door operator features an anti-thief 'backdrive' that gives further protection against unauthorised entry and an integral courtesy light illuminates the garage interior. Roller door emergency sensors with a 90 decibel alarm* and auto-positive locking with anti-lift geometry locking straps also make Cardale garage doors extremely secure.

The Cardale release system means the door can be opened (unlocked) and locked manually in any position. Your garage door is locked (closed) during a power failure as well providing optimal safety.



SAFETY

is our number one priority



Safety Sensor

→ Safety sensors are designed to prevent accidents.

When something stops the path, the door will automatically stop, and then reverse direction.

Alarms* add an extra layer of protection and operate much like window locks; if tampered with, they'll emit a loud alarm*.

Safety Performance

→ All garage doors supplied by The Garage Door Company are fully compliant with legislation that ensures that the products meet a number of safety and performance factors.

Safety devices such as anti-drop mechanisms and obstruction detection systems are just some of the features that are an integral part of our product range.

Safety Requirements

→ The safety of any automation system is only as good as its installation.

UKCA The UKCA mark confirms that the product meets all the safety requirements but the installation itself is covered under the 'Declaration of Incorporation'.

*Alarms as standard on Thermaglide 55 and 77 (roller door) products

Cardale garage door self-locking motor provides homeowners with extra peace of mind

→ Garage door alarms* operate much like window locks; if they sense motion, they'll emit a loud alarm*. Cardale garage door operators are equipped with reliable proven technology you can rely on. The self-locking motor ensures effective protection against break-ins.

*Alarms as standard on Thermaglide 55 and 77 (roller door) products

Secured by Design is Tested and Approved to Police and Insurance Standards

→ Cardale Secured by Design doors are certified to CS 5051 STS202 which is approved by ACPO, The Association Of Chief Police Officers. Secured by Design doors are bespoke and made to order; see page 12 for our range of Secured by Design doors.

energy
efficient

If you are looking to achieve better energy efficiency throughout your home, or convert your garage into a home office or gym, then consider an insulated garage door as a whole-house approach to completing the insulation envelope around your home.

Benefits of an Insulated Garage Door

- Cuts energy costs and saves you money by reducing thermal exchange in your home
- Reduces outdoor noise with the vibration absorbent insulation system
- Gives you that extra space by utilising your garage for a home office, workshop or gym
- Improve the look and street appearance of your home with a stunning garage door and boost your home's resale value
- Reduces greenhouse gas emissions by lowering energy consumption

To see our full range of insulated garage doors please see pages 34-45.

PAGES 34-45
Energy Efficient
Insulated Garage Doors



CardaleTherma
Insulated Side-Hinged and
Side Personnel Doors.

CardaleTherma is Cardale's advanced insulated side-hinged door, engineered to deliver outstanding thermal performance, enhanced security, and long-lasting durability. Ideal for modern garages and side access points.

Designed as a superior upgrade to traditional non-insulated and single-locking doors, CardaleTherma features a fully insulated panel construction paired with a robust 3-point locking system as standard. This combination provides improved energy efficiency, increased structural strength, and reliable protection against harsh weather and forced entry.



- 1 Stay Warmer, Save Energy:**
Fully insulated door panels help maintain indoor temperatures and boost energy efficiency. U-Value from 2.4 W/m2.K and the insulation being Polyisocyanurate (PIR) with a 30mm thickness.
- 2 Feel Secure:**
A 3-point locking system delivers robust protection against forced entry; a security you can trust.
- 3 Built to Last:**
Durable construction resists wear, weather and everyday use for years of reliable performance.
- 4 Easy Operation:**
Smooth locking mechanism and balanced door movement.
- 5 Clean Finish:**
The internal white surface adds a sleek, contemporary look while sealing and safeguarding the insulated core.
- 6 Availability:**
The CardaleTherma upgrade is only available on doors with a 50/50 split configuration and on doors without glazing.



automation convenience at your fingertips

At The Garage Door Company, our garage door operators feature the latest reliable technology.

- The automatic obstruction detection ensures optimum protection, particularly useful for families with children
- The self-locking motor ensures effective protection against break-ins
- No additional locking mechanism is necessary for the Cardale Garage Door operators
- The Cardale emergency release system means the door can be opened (unlocked) and locked manually in any position. Your garage door is locked (closed) during a power failure as well, providing optimal safety
- Two-speed travel - the start and end of the motor movement are softened to give a quiet opening and closing cycle, (avoiding noisy door slam)
- Cardale operators are compatible with a wide range of accessories, including light barriers and external keypads, and integrate with Cardale home automation products

The Sectional Door operator system not only offers maximum convenience during operation, but also during installation. It is not fixed to the ceiling like conventional operators, but simply integrated into the side garage door track - either on the left or the right depending on the structural conditions. Therefore, no ceiling assembly is required and any installation problems are ruled out from the outset.

All structural components are preassembled in the factory and dimensionally accurate - simply insert them together. The wear-resistant, maintenance-free toothed belt lies well-protected in the garage door track, guaranteeing maximum operational reliability, long service life and quiet, smooth running.



- 1 Cardale DC650T**
Traction force 650N for doors up to 4300 wide x 2134 high (<90kg)
- 2 Cardale DC800T**
Traction force 800N, for doors up to 5000 x 2438 high (>90kg)
- 3 Vertiport**
For sectional doors only up to 5500 x 3000 wide




more space

Valuable space is not taken up when you can park right up to your garage door, with The Garage Door Company roller doors and sectional doors.

We've designed our garage doors to be a highly flexible, secure and attractive choice for your home.

They're practical for when you have limited space, particularly if you need to park close to your garage.

Lightweight and easy to open, they slide up vertically without 'opening out' like an up and over door. This means that you save around 3 feet of clearance space compared with a standard garage door.



more light

Don't be kept in the dark!

The Garage Door Company lighting options will create more light inside of your garage space.

Lighting is fitted discreetly with your Cardale door operator and can be set to turn on and off automatically

according to when you use your garage door. Alternatively it can be left on as a security light outside and add additional lighting to your driveway or outside area.



more colour

Modern or traditional, our steel door colour collection gives you the ability to create the right colour scheme for your garage door.

Essential Colours



TRAFFIC WHITE RAL 9016



JET BLACK RAL 9005



ANTHRACITE GREY RAL 7016



Bespoke Colours
RAL colours available on request

Premium Colours



PURE WHITE RAL 9010



CREAM RAL 9001



CLAY STONE RAL 080.80.05



LIGHT GREY RAL 7035



AGATE GREY RAL 7038



STONE GREY RAL 7030



SIGNAL GREY RAL 7004



WINDOW GREY RAL 7040



SILVER GREY RAL 7001



SLATE GREY RAL 7015



BLACK BROWN RAL 8022



PEBBLE GREY RAL 7032



CHARTWELL GREEN BS14C35



SAGE NCS 4005-G80Y



FIR GREEN RAL 6009



MOSS GREEN RAL 6005



DUCK EGG RAL 260.80.10



BRILLIANT BLUE RAL 5007



STEEL BLUE RAL 5011



COBALT BLUE RAL 5013



CLAY BROWN RAL 8003



CHERRY BROWN CHROMA 3353



CHOCOLATE BROWN RAL 8017



RUBY RED RAL 3003



BROWN RED RAL 3011

Timber Effect

Choose from 2 high grade Timber Effect laminate finishes.

*Available in some designs only, please check with your installer. All colour samples depicted in this brochure are as close to the original manufacturer's colours as possible. Rivets are visible on the face of the door in some door styles and all Timber Effect laminated doors.



Matching hinge available in this colour



GOLDEN OAK



ROSEWOOD

Garage doors supplied may vary in colour from the brochure and sample representation.

Steel Up & Over Doors

by The Garage Door Company



Gemini



Europa II



Flush Vertical



Vogue II



Flush Horizontal



Haven



Berkeley Vertical



Gatcombe



Sheraton



Georgian



Olympian



Bedford



Sheraton Glazed



Georgian Glazed



Handles are black as standard
Also available in White and Brushed Silver

■ = Available in Rosewood
■ = Available in Golden Oak
Secured by Design
Official Police Security Initiative
= Available in Secured By Design

Please note: Vertical centre panel inserted on Flush Horizontal door panel over 2496mm wide and Haven door panel over 2438mm wide.

Steel Side-Hinged Doors

by The Garage Door Company



- Our side-hinged garage doors are manufactured in Britain from premium-grade galvanised steel. Finished in an incredibly durable finish, they are available in any of our Essential and Premium Steel colours.
- 1 Centre overlap to help prevent forced entry and reduce draughts
 - 2 Four pairs of dog bolt security hinges
 - 3 High security Euro profile mortice lock
 - 4 Twin shoot bolts top and bottom for added security
 - 5 Stays to prevent the door opening further than 110 degrees
 - 6 All side-hinged doors are supplied complete with a 50mm frame

3-Point Locking System

Upgrade Across our Steel Side-Hinged and Matching Side Door Range.

Responding to growing demand for enhanced home security, our Research & Development division has introduced a robust 3-point locking mechanism across our Steel Side-Hinged doors and Matching Side doors range. Precision-engineered for maximum strength and load distribution, this new system delivers outstanding resistance to forced entry , offering both installers and homeowners greater confidence and lasting protection.

It's a dependable solution that delivers tangible peace of mind, meeting the highest expectations for safety and durability.

*This features is available as an optional extra and not provided as standard.



- = Available in Rosewood
- = Available in Golden Oak

= Door style available with Insulated CardaleTherma

= Please note that the rear of all CardaleTherma Insulated doors will be finished in white



Side-Hinged handles are available in black and silver

An offset configuration is only available on selected designs where the large leaf can be the lead door The large leaf can be the lead door. Please see the opening options (viewed from outside) below:

- A 1/2-1/2 Left Hand Opening
- B 1/2-1/2 Right Hand Opening
- C 2/3-1/3 Left Hand Opening
- D 1/3-2/3 Left Hand Opening
- E 2/3-1/3 Right Hand Opening
- F 1/3-2/3 Right Hand Opening



Steel Side Doors

by The Garage Door Company

These doors are popular as a side entrance to your garage. They are pre-framed and come complete with a Euro profile night latch and deadlock and four anti-drop anchored bolt hinges per door leaf. Doors open outwards only, with the lock on the right when viewed from the outside.

These are available in the following finishes to match the door ranges: Painted, Golden Oak, Rosewood.

Left-hand opening available as an option



■ ■ = Available in Golden Oak and Rosewood

■ ■ ■ = Available with Insulated CardaleTherma. CardaleTherma not available with Glazed options.

⚠ Please note that the rear of all CardaleTherma Insulated doors will be finished in white

Glazing and Leading Options



Bedford doors only available with Black or Stippled glazing

Selected Cardale garage door designs are available with glazing, with a range of attractive designs to blend with your house windows and doors. If the door does not have glazing in its standard design, the window panels will be fitted to the top design detail. Window surrounds on the Bedford doors are available in white or black only.

Clear windows are see-through and allow light into the garage. Stippled windows allow light into the garage but are not see-through. Black windows are decorative only and don't allow any light into the garage.

Secured By Design Doors by Cardale



Secured by Design is tested and approved to police and insurance standards

Cardale Secured by Design doors are certificated to CS 5051 STS202 which is approved by ACPO, The Association Of Chief Police Officers.

Secured by Design doors are bespoke and made to order, and are available in a range of Standard and Elite colours as well as any other RAL colour.

Cardale Secured by Design up and over garage doors can only be supplied in a pre-hung factory finished steel fixing frame, which makes installation simple and eliminates the need for a timber frame which can warp or rot over time.



Security

is at the forefront of our designs



Heavy duty strengthening ribs

To meet the exacting standards we have increased the number of door braces at the rear of the door.



Heavy duty springs

Multi springing ensures smooth operation of the reinforced door.



Secure locking brackets

Three-point solid bar locking fully supported across the width of the door.



Inside locking handle

The reinforced locking barrel includes a key for locking and unlocking from the inside and outside.

DuoPort Insulated Side Hinged Doors

In addition to providing high insulation values, the Cardale DuoPort side hinged doors offer you the possibility to use your garage as a utility room, for leisure time or hobbies.

You can choose whether to open both door leaves or only the active leaf, depending on your particular requirements. The use of high-quality and durable materials, top-quality processing and a wide variety of additional fittings give your garage a classic appearance in keeping with the style of your house and your personal taste.



DuoPort Colours & Textures

Textures



SMOOTH 



FINEGRAIN 



WOODGRAIN 

Essential Colours



TRAFFIC WHITE RAL 9016



JET BLACK RAL 9005



ANTHRACITE GREY RAL 7016

Premium Colours

 PURE WHITE RAL 9010	 CREAM RAL 9001	 CLAY STONE RAL 080.80.05	 LIGHT GREY RAL 7035	 AGATE GREY RAL 7038	 STONE GREY RAL 7030
 SIGNAL GREY RAL 7004	 WINDOW GREY RAL 7040	 SILVER GREY RAL 7001	 SLATE GREY RAL 7015	 BLACK BROWN RAL 8022	 PEBBLE GREY RAL 7032
 CHARTWELL GREEN BS14C35	 SAGE NCS 4005-G80Y	 FIR GREEN RAL 6009	 MOSS GREEN RAL 6005	 DUCK EGG RAL 260.80.10	 BRILLIANT BLUE RAL 5007
 COBALT BLUE RAL 5013	 STEEL BLUE RAL 5011	 CLAY BROWN RAL 8003	 CHERRY BROWN CHROMA 3353	 CHOCOLATE BROWN RAL 8017	 RUBY RED RAL 3003
 BROWN RED RAL 3011	 Available in Finegrain textured finish				 Bespoke Colours RAL colours available on request
Garage doors supplied may vary in colour from the brochure and sample representation.					

Timber Effect

Our insulated Sectional garage doors are available with 4 different weather-resistant, top-coated film laminates in authentic, rustic wood effects with a smooth surface. In addition to the large rib pattern, you can now also order all the wood effects in the flush and some in the panel pattern.



GOLDEN OAK SMOOTH



DARK OAK SMOOTH



WINCHESTER SMOOTH



NIGHT OAK SMOOTH

 Timber Effects are only available in Smooth Texture.

Durapass Garage Doors

A Style For Every Setting

A brilliantly clever design presents a perfect face.

Clever design keeps the face of DuraPass doors free from rivets and welds, eliminating corrosion stain from fixings. Just one of the features that makes DuraPass a true innovation!

- Manufactured in the UK
- CE marked, certified product
- Innovation Award Winner with patented design
- Multi-point locking
- All doors are available made to measure for the perfect fit.

5 Colours

The strong, corrosion protected, exterior grade steel is factory coated to give a high-grade durable surface in a choice of finishes.

*Golden Oak is recommended for Flush door designs only



TRAFFIC WHITE RAL 9016

JET BLACK RAL 9005

ANTHRACITE GREY RAL 7016

GOOSEWING GREY BS 10A05

GOLDEN OAK SMOOTH

Garage doors supplied may vary in colour from the brochure and sample representation.



Insulation

Double doors are available insulated with stainless steel handles and hinges. Insulated doors have a U-Value of 1.9 W/m²K

White on the Inside

The rear face of the door panel on all doors is finished in a soft-white light reflecting finish. The frame will match the finish of the front face. The inside reinforcement bracing on uninsulated doors matches the finish of the front face of the door.

Door Stays as Standard

Heavy duty door stays provide a positive lock-out, preventing the door from closing. A light pull on the release cord and your door is ready to close.

Locking

The 10-point locking on Insulated double garage doors consists of 4-point ERA locking, including dead bolt, where the door leaves interlock, 2 shoot bolts and 4 security pinned hinges that extend through the frame. Heavy duty spring-loaded shoot bolts secure the inactive leaf through the frame's top and bottom.



Profile Designs

The 44mm insulated door has a sandwich construction of twin corrosion protected steel skins filled with an insulating core.



Flush



Linear Large



Linear Medium



Contemporary Vertical



Vertical Board

Timber Up and Over Doors

by The Garage Door Company



Berkeley Vertical

Stunning garage doors handmade in Britain from the finest durable, solid Cedarwood tongue and groove boards and mouldings. These doors have the quality and status to enhance the front of any home.

- 1 Steel chassis with steel bracing to reinforce the door without adding excessive weight
- 2 Choice of Canopy or Retractable lifting gear for effortless opening and closing
- 3 Supplied with basecoat treatment for final finishing to the colour of your choice
- 4 Special steel bracing to reinforce the panel without adding excessive weight
- 5 Fully finished option available in a choice of six colours
- 6 Matching pairs available, please specify when ordering

Timber Fully Finished Options

The Garage Door Company fully finished option is a factory finish process, the Sikks product used is available in 9 attractive colours as illustrated.



Garage doors supplied may vary in colour from the brochure and sample representation.

For south facing situations exposed to strong sunlight the dark colours are not recommended, as they can store excessive heat and dry out. Timber doors are supplied with a basecoat stain as standard. They must be finished immediately after installation.

The Garage Door Company's range of **Timber Garage Doors** highlights the natural beauty and quality of timber



Handles are black as standard. Other colours/finishes available



Stuart



Countryman



Tudor



Madeley



Windsor



Vertical



Horizontal



Gatcombe



Hertford



Burley



Berkeley Vertical



Chevron



Cotswold



Bedford

Glazing and Leading Options

Cardale Up and Over doors are available with your choice of glazing and leading options.



Clear



Stippled



Black



Diamond Lattice



Square Lattice



Queen-Anne Lattice

Timber Side-Hinged Doors by The Garage Door Company



Bedford

The Garage Door Company timber side hinged garage doors are complete with a 50mm frame. Doors are supplied with a lock hole unless specified otherwise. Doors open outwards only, with the lock on the right when viewed from the outside.

- 1 Centre overlap to help prevent forced entry and reduce draughts.
- 2 Four pairs of dog bolt security hinges.
- 3 High security Euro profile mortice lock.
- 4 Stays to prevent the door opening further than 110 degrees.
- 5 Fully finished option available in a choice of six colours.

For south facing situations exposed to strong sunlight the dark colours are not recommended, as they can store excessive heat and dry out. Timber doors are supplied with a basecoat stain as standard. They MUST be finished immediately after installation.

Hand carved Timber Heritage Doors made in the UK



The Garage Door Company timber side-hinged doors are bespoke and made to order

Timber Colour Options



Garage doors supplied may vary in colour from the brochure and sample representation.



Stuart



Countryman



Tudor



Windsor



Vertical



Horizontal



Berkeley Vertical



Hertford



Gatcombe



Burley



Madeley



Cotswold



Bedford



Chevron



Side-Hinged handles are available in black and silver

Glazing and Leading Options

Cardale Side-Hinged are available with your choice of glazing and leading options.



Clear



Stippled



Black



Diamond Lattice



Square Lattice



Queen-Anne Lattice

GRP Door Colours

Essential Colours



TRAFFIC WHITE RAL 9016



JET BLACK RAL 9005



ANTHRACITE GREY RAL 7016



Bespoke Colours
RAL colours available on request

Premium Colours



PURE WHITE RAL 9010



CREAM RAL 9001



CLAY STONE RAL 080.80.05



LIGHT GREY RAL 7035



AGATE GREY RAL 7038



STONE GREY RAL 7030



SIGNAL GREY RAL 7004



WINDOW GREY RAL 7040



SILVER GREY RAL 7001



SLATE GREY RAL 7015



BLACK BROWN RAL 8022



PEBBLE GREY RAL 7032



CHARTWELL GREEN BS4800



SAGE NCS 4005-G80Y



FIR GREEN RAL 6009



MOSS GREEN RAL 6005



DUCK EGG RAL 260.80.10



BRILLIANT BLUE RAL 5007



COBALT BLUE RAL 5013



STEEL BLUE RAL 5011



CLAY BROWN RAL 8003



CHERRY BROWN CHROMA 3353



CHOCOLATE BROWN RAL 8017



RUBY RED RAL 3003



BROWN RED RAL 3011

Woodgrain Options
➔



WHITE WOODGRAIN



MAGNOLIA



BLEACHED OAK



IRISH OAK



LIGHT OAK



TEAK



HONEY BEECH



GOLDEN BROWN



DARK OAK



ROSEWOOD



RED MAHOGANY



DARK MAHOGANY



ANTHRACITE GREY



EBONY

Garage doors supplied may vary in colour from the brochure and sample representation.

GRP Doors

A luxury range of low-maintenance GRP garage doors exclusively available from The Garage Door Company. With the same strength to weight ratio as steel, this composite material is incredibly robust and is used in the yachting industry due to its durability against the ravaging effects of corrosive weather.

Available in low maintenance Glasswhite or Glasswood incredibly lifelike timber grain effect wood tones, these doors are virtually maintenance free.



Handles are black as standard. Other colours / finishes available



Chelsea II



Lyndhurst Glazed



Hambledon II



Nelson



Lyndhurst



Kingston



Virginia



Blandford



Woodside



Winchester



Lingfield



Sutherland



Chertsey



Sunbury

GRP Side-Hinged and Side Doors

The Garage Door Company range of GRP Side-Hinged garage doors combine all the advantages and practicality of GRP with the convenience of a tried and tested form of operation.

GRP Side-Hinged doors are handmade to order and are manufactured and finished to a very high specification.

Our side hinged garage doors have GRP panels built onto individual steel frames preventing any distortion and have an additional flow coat applied to the back of every door for improved aesthetic appearance. Side-Hinged garage doors are manufactured with equal sized leaves and open outwards to maximise available clear space inside the garage.

As standard the right hand leaf (viewed externally) opens first; left hand leaf opening is available on request.

- 1** Centre style between leaves for maximum security, preventing forced entry attempts.
- 2** Weather seals between frame and leaves for draught reduction.
- 3** Heavy duty steel hinges for maximum security and reliable operation.
- 4** Euro dead locking latch and black lever handles inside and out - as standard.



Side-Hinged and Side Door handles are available in Black and Silver.



Lyndhurst



Virginia



Virginia Side



Lyndhurst Glazed



Sutherland



THERMALIFT INSULATED

- sectional doors -

Taking the concept of the roller garage door to a new level
It out-performs the ordinary garage door for ease of use, insulation, finishes, safety and security.



Built-in Insulation

→ Add the built-in insulation, which provides both a thermal and acoustic barrier, helping to control your energy bills, reduce noise and possibly your carbon footprint.

Insulated sectional steel doors are bespoke and made to order.



German Engineering, Built in Britain.

THERMALIFT 45
INSULATED GARAGE DOORS

THERMALIFT 20
INSULATED GARAGE DOORS

INSULATED SECTIONAL DOORS



The very latest in innovation & technology

The Garage Door Company insulated sectional steel doors are comprised of individual sections connected together by hinges.

The door opens vertically into the garage and with no 'kick out' as it moves, providing you with up to three feet of increased drive length compared to up and over garage doors.

Sectional doors are also very attractive in design - high quality materials, incorporating the latest innovations in manufacturing technology together with a wide choice of options give your garage an individual look.



1

Bespoke

Thermalift insulated doors are bespoke and made to order

2

Fully Automated

Remote control available


3

Premium Finish

Premium-grade galvanised steel in a range of stunning colours




Georgian Panelled | Thermalift20/45



Horizontal Rib | Thermalift20/45



Flush | Thermalift20/45




Large Rib | Thermalift20/45




Panelled Glazed | Thermalift45



NEW: Exceptional heat insulation thanks to the thermal break



*With respect to door solutions with comparable section thicknesses. Performance dependent on door pattern and size.



INTERNAL VALUES What's behind the Evo Thermalift 45

- 1 New: harmonious look for the inside door surface**
A highlight of the Evolution premium door is the harmonious appearance of the inside of the door. The surface here is in Traffic white (similar to RAL 9016). In addition to the profiles or section end caps in RAL 9016, the outer colour of the door is also no longer visible on the inside as the door rolls up or down.
- 2 New: thermal barrier** The exclusive thermally broken sections, with PUR rigid polyurethane foam core and additional seals between the sections, deliver even greater heat insulation.
- 3 New: variable floor profile** The new floor profile on the bottom edge of the garage door compensates for minor floor unevenness of up to 10 mm, and long holes ensure high flexibility during installation.
- 4 Great flexibility: optional spring technology** The Evolution premium door can be optionally equipped with multiple tension spring assemblies or torsion springs. The vertical tension springs require a smaller installation depth (in combination with a low header) and open up new possibilities when space is limited. On larger sizes, the door is equipped with torsion springs either front or back.

*With respect to door solutions with comparable section thicknesses

Be in control

→ With remote control available, the Thermalift Insulated Sectional Door operation is effortless.

Flexible side mounting

1. Interference-protected deflection pulley

The steel cables run vertically into the angular frame on interference-protected deflection pulleys mounted on ball bearings with U-shaped caster holders. This reduces the height requirement compared to the front-mounted torsion spring.

2. New cable mount

Together with the new steel cable holder, the newly designed cable mount with integrated door guide keeps the steel cables running smoothly in the angular frame without them touching the sections.

3. Integrated belt fastening

The newly designed moulded end piece contains an integrated fastener for the NovoPort® belt. The maintenance-free belt is fastened securely in the holder.

4. Multiple extension spring assemblies

The extension spring garage doors are equipped with sturdy multiple extension spring assemblies. The springs are adjusted at the top end of the assembly. The vertical extension springs require less installation depth and open up new possibilities when space is confined.

5. NovoPort® - unique and flexible


The NovoPort® operator system not only offers maximum convenience during operation, but also during installation. After all, the motor is not fixed to the ceiling like conventional operators, but simply integrated into the side garage door track - either on the left or the right depending on the structural conditions. Therefore no ceiling assembly is required. Integrated high speed function for door opening that is up to 50% faster (up to 29cm/s) compared to conventional operators.

6. Anti-pinch inside and out

The special design of the sections and hinges prevents pinching on the door leaf from the outset.

7. Interference protection and cables channelled down the inside

The angular frames make it almost impossible to reach between the door leaf and the frame. Suspension cables arranged inside minimize the risk of injury and guarantee maximum operational reliability.



Automatic Safety Features


Safety always comes first and the intelligent wireless system is constantly monitoring safety. The bottom edge of the door has an optical sensor inside the rubber bottom seal. The sensor instantly stops and reverses the door a short distance when an obstruction compresses the seal.

As part of the safety standard, all doors over 20kg are also protected by a safety brake that activates and stops the door should the motor brake fail for complete peace of mind.

Need more from your garage door? Sound & Heat Insulation

Innovative technology in thermal and noise insulation

Insulated door leaf is made from double-skinned, hot galvanized steel sections with CFC-Free PUR rigid foam core, which provides top sound-proofing and excellent heat insulation, keeping the cold out and the warmth in.



Why choose a wicket door?

Wicket doors are a great alternative to side doors in cases where there's insufficient space to the side of the main door.

Wicket doors are standard doors that are integrated into the main door leaf.

The purpose is to allow quick and easy access without having to open and close the main door.

This also helps you manage security and privacy better as the main door will remain closed when not in use.



WARRANTY COVER



MADE TO MEASURE



REMOTE OPTION



SECURITY LOCKING

Insulated Wicket Doors

NOW USING THE **NEW** EVO THERMALIFT TECHNOLOGY



Horizontal Rib | iso 45



Large Rib | iso 45



Flush | iso 45

Wicket doors are available for all Thermalift 45 sectional garage doors up to a width of 5m. They offer a practical passage width of 80cm and provide perfect heat insulation due to the double-skinned insulation used.



Available in Woodgrain texture



Available in Smooth texture



Georgian Panelled | iso 45



Georgian Panelled Glazed | iso 45



get **colour**

Our Thermalift sectional garage doors are available on request in a subtly grained Woodgrain, Finegrain or an elegant smooth surface, which simply repels dust and moisture.


Textures



Essential Colours



Premium Colours



Available in Finegrain textured finish



Bespoke Colours

RAL colours available on request

Timber Effect

Our insulated Sectional garage doors are available with 4 different weather-resistant, top-coated film laminates in authentic, rustic wood effects with a smooth surface. In addition to the large rib pattern, you can now also order all the wood effects in the flush and some in the panel pattern.



Garage doors supplied may vary in colour from the brochure and sample representation.



Timber Effects are only available in Smooth Texture.

get **glazed**

The Garage Door Company offers a range of window designs suited to 'flush' style doors.

For a full range of sectional door glazing options, please see page 48.



To get lots of natural light, you can turn practically one whole section into a window with a horizontal light strip. Light strips are available on the top 3 sections only, not in the bottom section.



Create an individual eyecatching element with vertically arranged portholes, each in a highquality stainless steel frame.



Square windows can be ordered as an option, in any arrangement which suits your taste, each in a high-quality cast aluminium frame.

Glazing and Leading Options

Our attractive glazing options not only make a feature of your garage, but also let the light in, especially appealing if you use your garage as a storage room or workshop. All Cardale glazing panels are manufactured out of weather-resistant acrylic glass or impact-resistant polycarbonate and stand out due to their high transparency. Furthermore, being double-glazed panes, they have excellent heat insulating properties - just like our insulated sectional garage doors.



Clear



Stippled



Black



Diamond Lattice



Square Lattice



Queen-Anne Lattice

Sunrise Patterns

The 'sunrise' pattern can be modified to suit different width garages up to 5.5metres wide.



Thermaglide: The Smarter Garage Door Solution

Thermaglide 77, 55 and Lite insulated roller doors combine robust construction with modern design, offering a sleek, space-saving solution that enhances your garage's appearance and efficiency.



Cardale Aluminium Insulated Roller Garage Doors

THERMAGLIDE® 77

Thermaglide takes the concept of the roller garage door to a new level. It out-performs the ordinary garage door for ease of use, insulation, finishes, safety and security and all doors are manufactured under strict and controlled guidelines.

Practical high performance

Remote control makes operation effortless. The door is practical too - vertical travel allows 'park right up' convenience inside and out and provides maximum drive through width and height for MPVs and 4x4s, gaining up to 150mm in width when replacing a conventional door and frame. It also allows the door to fit garage openings of all shapes and sizes.



Thermaglide is now available as a Secured by Design product up to 3m.

THERMAGLIDE® 55

Where headroom is especially tight, the Thermaglide 55 has all the features of Thermaglide 77 but requires only 205mm of headroom and is available up to 2.8 metres wide and 2.286 metres high.




Tamper Alarm
Tamper Alarm as standard

- Vertically opening doors
- Fits garage openings of all shapes and sizes, even arched openings
- Made in compliance with ISO 9001 quality standard
- Helps insulate garage against heat loss and noise
- Remote control electric operation available
- For greater security the door has fully enclosed side runners, a unique 'AutoLock' self locking feature and is fully automated with no exterior lock to pick or force
- Rolling code technology helps prevent criminal 'code grabbing'
- Optional emergency opening system
- Hard wired and wireless safety systems are available

Choose Your Design

Two designs are available - the Thermagliding 77 which is the ultimate in remote control luxury, and the ultra-compact Thermagliding 55, the solution for tight spaces, which is available in the remote control version.

THERMAGLIDE 77



- Guides and Box Colour Matched as Standard
- Polyester Painted 70mm Guides up to 3m Wide (Colours available)
- Polyester Painted 90mm Guides over 3m wide (Colours available)
- NovoShield Full Box supplied as standard. Box sizes subject to change dependent on curtain height. (Other box options available)
- Thermagliding Hard Wired Control Safety System
- Wireless Option Available
- Two 2-Channel Hand Transmitters
- Min width 1400 | Max width 5000
Min Height 1831 | Max Height 2286

THERMAGLIDE 55



- Guides and Box Colour Matched as Standard
- 65mm Guides
- 205mm NovoShield Full Box
- Thermagliding Hard Wired Control Safety System
- Wireless Option Available
- Two 2-Channel Hand Transmitters
- Min width 1600 | Max width 3000
Min Height 1831 | Max Height 2286

Thermagliding Built-in Insulation



Add the built-in insulation, which provides both a thermal and acoustic barrier, helping to control your energy bills, reduce noise and possibly your carbon footprint.

Insulated roller garage doors are bespoke and made to order.



Secured by Design

The Garage Door Company are pleased to announce our Thermagliding 77 Insulated Roller door (Up to 3m) is Secured by Design (SBD) accredited, (STS222 tested – Passed to BR1).

Secured by Design (SBD) is the official UK Police security initiative that promotes building products proven to reduce crime. With garage doors often targeted by burglars due to the valuable assets they protect and the potential direct access they provide to the home security is more important than ever. SBD focuses on the improvement of products that include doors, windows, locks and walling systems. Products that receive the 'Secured by Design' accreditation are certified as providing the highest levels of security.



- On the Thermagliding 77 up to 3000mm
- On behind fit Installation only
- Excludes vision lath option
- Excludes low level EMR



Safety sensing

Each door is equipped with a built-in, permanently wired safety sensor within the bottom weatherstrip. This sensor detects obstacles and automatically stops and reverses the door by a small distance to prevent damage or injury.



External Manual Release

If the power fails, a simple hand crank allows the door to be opened from outside the garage by hand.



Thermaglide Insulated Roller Doors

Product Specification



Reliable Technology

Available with Somfy control unit as standard or teleco control units available upon request. Enjoy the confidence of a five year warranty.



Safety Brake

Chosen for its performance and longlasting durability, with no sacrifice in safety. The safety brake activates to halt the door's descent in the event of a motor failure.



Maximum Weather Protection

Engineered to help block cold draughts and keep your garage warm and usable with guide rails that are lined and a shaped rubber seal on the bottom slat.



Alarm as Standard

A built-in vibration sensor triggers a 100dB alarm if an attempt is made to force open the door.



Full Box as Standard

The full box conceals the roll for a super-neat installation and encloses the door mechanism.



Space Saving

The door curtain neatly coils above the opening, ensuring that neither the door nor the any tracks extend into the garage, maximising storage space and driveway space.



Effortless Control

A number of additional extras from Cardale & Somfy are available to enhance convenience.



Keyfob Transmitters

Two remote controls are supplied with every door. Extra remote controls can be added and are easy to program.



End Locks

Slats have endlocks as standard to assist the smooth operation of the curtain.



Direct Connect Locking

The door is held firmly shut by at least three locking straps, featuring heavy duty direct-connect linkages that provide enhanced resistance to forced entry.

The ultimate choice

Standard Polyester Colours

Available in 77mm only.



Full colour matched box and guides included as standard.

⚠ On Polyester Timber Effect doors the bottom lath will differ in colour or tone.

Laminated Timber Effect


Choose from 3 high grade Timber Effect finishes



Garage doors supplied may vary in colour from the brochure and sample representation.

Standard Polyester Colours

Available in both 55mm and 77mm.



Full colour matched box and guides included as standard.

Timber Effect	Box and Guide Colour
Irish Oak	Brown Beige RAL 1011
Golden Oak & Rosewood	Mocca Brown RAL 8019



Somfy Optional Extras



POWERED by
somfy


works with
alexa

works with
Hey Google

Thermaglide Lite

Looking for a reliable, high-quality garage door without the premium price tag?

The Thermaglide Lite is the perfect solution. As the cost-effective version of the original Cardale Thermaglide, it delivers the same trusted performance in a simplified design, ideal for those who want practicality and ease without unnecessary extras.



Unlike many cost-effective roller doors on the market, the Thermaglide Lite is manufactured to a higher standard. It features a 77mm lath as standard, providing superior strength, stability, and long-term durability compared with many competing systems that use smaller slats, which can compromise rigidity and overall performance.

In addition, the Thermaglide Lite is equipped with a safety edge as standard. This advanced feature automatically stops and reverses the door if it encounters an obstruction while closing, helping to protect you, your vehicles, and your property while ensuring compliance with the latest safety requirements.

Many competing systems do not include a safety edge as standard, meaning they may not comply with the current safety requirements set by the Door & Hardware Federation.



Key Benefits

- ✓ Smooth vertical travel for space-saving convenience
- ✓ Effortless operation – park right up to the door, inside and out
- ✓ Maximum drive-through clearance, gaining up to 140mm in width when replacing a traditional door and frame
- ✓ Strong focus on safety, security, and a quality finish

Advantages

- ✓ Made-to-Measure
- ✓ Electric Operation
- ✓ 2 Remote Controls as Standard
- ✓ Safety Edge As Standard
- ✓ Low Maintenance
- ✓ 2 Year Warranty

Thermaglide Lite



Novoshield Box

While premium accessories and upgrades aren't compatible with this model, it's a fantastic choice if you're simply looking for a solid, no-fuss solution. The rolling mechanism remains visible as standard, though a box enclosure can be added as an optional extra for a cleaner look.

Electric Operation

The Thermaglide Lite is supplied complete with a wall-mounted control box and two remote controls as standard. Featuring simple one-touch operation, the remotes allow you to open and close the door effortlessly at the push of a button.

Thermaglide Lite Measurements

Min width 1400 | Max width 2500
Min Height 1831 | Max Height 2263

All metric sizes in mm

Polyester Finish

Available in a choice of three attractive colours, the Thermaglide Lite is designed for standard operation and everyday reliability.



TRAFFIC WHITE RAL 9016



JET BLACK RAL 9005



ANTHRACITE GREY RAL 7016

Garage doors supplied may vary in colour from the brochure and sample representation.

Cardale Steeline Roller Doors

Simple, clean lines and an excellent colour choice are just part of the appeal of the Steeline door



Manual and Automatic

→ Doors are designed for manual and automatic operation - **Easyglide spring assisted** operation ensures all doors are easy to operate by hand.




Remote Control

→ The Steeline Slimdrive remote control openers make automation easy.



More Space on your Drive

→ Vertical travel gives 'park right up' convenience.



Secure and Durable

→ The unique broad profile horizontal ribbed design is inherently very strong and very secure. Key operated twin locking bars secure the door in the closed position



High Grade Foil Finishes

→ Available with high performance Plastisol coating or a high grade foil finish to the front face of the door and a grey powdercoat to the rear.



MADE IN BRITAIN
THE BEST OF BRITISH GARAGE DOORS

SPACE SAVING

— STEELINE ROLLER DOORS —



Exceptional Durability and Performance

Cardale Steeline roller doors are a design proven for exceptional durability and long-term performance.

cardale
GARAGE DOORS



Twin Locking Bars
for added security

A colour to suit every home!


With our **Steeline Plastisol** colour collection, you can choose from a wide range of popular colours to match your own personal taste and preferences.



Goosewing Grey



Olive Green



Juniper Green



Merlin Grey



Mushroom



Navy Blue



Burgundy



Anthracite



Vandyke Brown




Black



White

Steeline Foil Finishes



Golden Oak



Rosewood

Steeline Doors are bespoke and made to order



→ Space Saving

As the curtain rolls neatly up behind your garage lintel there are no tracks inside your garage providing you with additional space.

Enhanced Security

→ Highly pick-resistant steel lock barrel mechanism as standard on each Steeline door.



Garage doors supplied may vary in colour from the brochure and sample representation.

Cardale Gate

CARDALE-GATE offers a practical, durable and attractive alternative to traditional timber gates.

CARDALE-GATE is an integral part of a property, creating a physical barrier between public and private areas, maintaining both privacy and security.



Strong and Secure

CARDALE-GATE is manufactured using Magnelis® steel as standard.

This revolutionary material offers an industry leading level of corrosion resistance, meaning a 10 year warranty applies in most locations when supported with basic maintenance.

Finished in a Polyester Powder Coating in a choice of colours, CARDALE-GATE is a practical and cost effective solution, offering a long lifespan and attractive appearance.

Applications

CARDALE-GATE is ideal for any application requiring a secure, long lasting and stylish solution such as front or rear garden paths, entrances, access points and driveways with a suitable structure to either side.

The hard wearing and low maintenance properties of CARDALE-GATE means that they're particularly beneficial for installations where upkeep needs to be kept to a minimum, for example social housing; student accommodation; rented properties, or retirement, assisted or shared living accommodation.

We can also manufacture double gates for larger and more open areas.

Security and Style

Availability

CARDALE-GATE is available in a selection of standard sizes to suit varying structural openings, either 900mm or 1000mm wide, and in a frame height of 1200mm, 1600mm or 2100mm.

These items come with installation posts and are available with an incredible lead time of just 15 working days.

Hardware Choices

1200mm high will be supplied with a gate latch as standard, with a mortice lock for gates over 1200mm.

We offer a choice of either matt black or stainless steel hardware to suit your preferences, and this covers all aspects-handles, latches, escutcheons and hinges.

Bespoke Choices

Looking for something a little different?

We can also manufacture gates to custom sizes on request to ensure the perfect fit (extended lead time applies).

Finishes



SMOOTH

Essential Colours



TRAFFIC WHITE RAL 9016



JET BLACK RAL 9005



ANTHRACITE GREY RAL 7016

Premium Colours



PURE WHITE RAL 9010



CREAM RAL 9001



CLAY STONE RAL 080.80.05



LIGHT GREY RAL 7035



AGATE GREY RAL 7038



STONE GREY RAL 7030



SIGNAL GREY RAL 7004



WINDOW GREY RAL 7040



SILVER GREY RAL 7001



SLATE GREY RAL 7015



BLACK BROWN RAL 8022



PEBBLE GREY RAL 7032



CHARTWELL GREEN BS14C35



SAGE NCS 4005-G80Y



FIR GREEN RAL 6009



MOSS GREEN RAL 6005



DUCK EGG RAL 260.80.10



BRILLIANT BLUE RAL 5007



COBALT BLUE RAL 5013



STEEL BLUE RAL 5011



CLAY BROWN RAL 8003



CHERRY BROWN CHROMA 3353



CHOCOLATE BROWN RAL 8017



RUBY RED RAL 3003



BROWN RED RAL 3011



Bespoke Colours

RAL colours available on request

Garage doors supplied may vary in colour from the brochure and sample representation.

About MAGNELIS®

Magnelis® is a game-changer in the world of metallic coating, offering unparalleled corrosion protection. It is manufactured using a continuous hot-dip galvanised process, where it is immersed in a unique molten bath composed of zinc, 3.5% aluminium and 3% magnesium, giving it its distinctive chemical properties.

This metallic coating forms a very dense, stable, and durable layer of protection, which prevents the underlying steel from encountering the ambient environment. It therefore gives all shaped steel the same level of protection as flat surfaces.

By comparing Magnelis® alongside galvanised steel, from our 1000-hour salt spray test, the results clearly exposed that Magnelis® resists corrosion for much longer than standard galvanised products, which is reflected in our unrivalled 10-year anti-corrosion warranty.



Galvanised Steel
20 µm after 6 weeks




Magnelis®
20 µm after 34 weeks

1 Thickness

55mm

2 Design



3 Standard Sizes

Structural Width	900mm, 1000mm or 1200mm
Frame Height	1200mm, 1600mm or 2100mm

Garage Door Operators

Your garage door is more than just an entrance, it's an important part of your home's security, convenience and aesthetic appeal.

Whether you're looking to automate an existing garage door or upgrade to the latest smart technology, our range of premium garage door operators and accessories offers a solution to suit every home.

Designed for smooth, reliable performance and enhanced safety, our upgrades make everyday access easier while adding comfort, security, and modern functionality to your garage. The garage door and operator are perfectly matched and certified by independent institutes in accordance with the latest safety guidelines, giving you the comfort of maximum security and top quality, with a 5-year guarantee on mechanics and motor included.



DC 650 T

→ Operator and boom kit.



DC 800 T

→ Operator and boom kit.
Recommended for doors over 11ft.

Operator Upgrades



Cardale 443

- Energy saving with 0.5 Watt power supply in stand-by mode.
- Power supply: 230 V / 50 Hz.
- Pull and push force: 600 N.
- Running speed: 18 cm/s.
- Maximum door area: 10 m2.
- App Control available.
- CE marked.



Cardale 573S

- Energy saving with 0.5 Watt power supply in stand-by mode.
- Power supply: 230 V / 50 Hz.
- Pull and push force: 800 N.
- Running speed: 24 cm/s.
- Maximum door area: 18 m2.
- App Control available.
- CE marked.



Vertiport Speed

The VertiPort Speed system offers an unparalleled solution, combining a state of the art operator with the market leading sectional door range.

Breaking from tradition, the VertiPort Speed operator is the only side mounted operator on the market. Instead of being fixed to the ceiling, it is integrated into the side door track. This innovative approach keeps the ceiling clear and eliminates common installation challenges, making it ideal for in-between fits and low ceilings.

Features

- Integrated high speed function for door opening that is up to 50 % faster (up to 29cm/s)
- Modern and 20 % flatter casing with continuous LED Strip for energy saving and bright illumination
- Integrated, indirect lighting with LED (6 Watt) switched on automatically when opening
- Automatic closing after a set time can be programmed (opto sensor required)
- The door can be operated by app or voice command
- Simple integration in existing smart home systems



Automate Your Garage Door

Cardale garage door operators used with sectional doors can be controlled via the Mobility APP "SmartGarage". You can download it free of charge from the App Store or Google Play.

All our garage door operators and additional hardware (e.g., light strips) are fitted with energy-saving LED lamps and many of our operators only consume 0.5 W in standby mode. All Cardale operators are manufactured to the highest industry standards and come with a five-year guarantee.

Hand transmitters are protected by AES 128-bit encryption and multi-part rolling codes.

The approved 3-button technology helps with simple and fast adjustment of the operator functions. We also offer a variety of special attractive control pads which are constructed from UV-stable materials.

With one "swipe" across the touch screen you can open and close the garage door, control the lighting, ventilation function and read the operator parameters.

To use the mobility app you need the mobility package, which contains the Cardale Gateway and Cardale WLAN module. You can buy this from your Cardale distributor.

Advantages

- ✓ Intuitive Adjustment
- ✓ Remote Lighting
- ✓ Control more than 1 Garage
- ✓ Smartphone-Enabled Door Control



Garage Door Accessories




Signal 218

→ Wireless Coded Keypad 10 codes, 433 MHz, KeeLoq rolling code with stainless steel cover, backlit in UV resistant material.



Signal 107

→ Push button rocker switch, 1 channel, 7m wired connection.



Signal 111

→ Wireless Remote Wall Switch 2-channel, 433 MHz, KeeLoq rolling code for controlling 2 operators or 1 operator and 1 outside lighting in UV resistant material.



Cardale Sectional Easy Clip Photocell Kit

→ 10-30 V, IP 44 Range: 7m Suitable for: Cardale 423/563 S, Thermaglide NR-20, VertiPort® (wires included).




Cardale-Mini 502 Hand Transmitter

→ 2-channel, 433 MHz, KeeLoq rolling code.



Cardale-Mini 522 Hand Transmitter

→ 2-channel, 433 MHz, KeeLoq rolling code.



Cardale-Mini 524 Hand Transmitter

→ 4-channel, 433 MHz, KeeLoq rolling code.



Cardale-Mini 522 Design Hand Transmitter

→ 2-channel, 433 MHz, KeeLoq rolling code.



Cardale-Mini 524 Design Hand Transmitter

→ 4-channel, 433 MHz, KeeLoq rolling code.



Mounting/Silicon Case Hand Transmitter

→ Suitable for use as case and wall mounting for Cardale-Mini 522 Design/524 Design and for Cardale-Mini 522/524.



De-Latch for Cardale up & over doors

→ For retractable lifting up & over doors. Suitable for 2 point rigid bar and cable locking systems, supplied with complete locking de-latching system.



Cardale 423 with Battery Back-up (Accu)

→ 423 operator complete with Battery back-up system that will temporarily keep your garage door in full operation during a power cut.



Somfy Keygo

→ Somfy Keygo 4 RTS 4 channel, 433MHz.



Somfy Wall RTS Wireless

→ Somfy Wall RTS Wireless 3 channel, 433MHz.



Somfy Connectivity Kit

→ Easily control your Somfy operators by app and voice. Works with Google Home & Alexa.



Somfy Keypad 2 RTS Wireless

→ Secure coded entry for Somfy operators.



Somfy Reflective Photocell Kit

→ 24 VAC/DC, IP 67 Range: 12m. Suitable for: Somfy Rollixo RTS. Control Panel Wires not included, Class II - Double insulation.



Rubber Threshold

→ Threshold seal has been designed to help stop water ingress, leaves, dust and unwanted pests from entering under your garage door.



Rubber/Brush Weatherstrips

→ Rubber: prevents draughts, dust, leaves, pests and water inlet. Brush: prevents draughts, dust, leaves and pests.



EMR Standard

→ Access or secure your garage even when the automatic system fails.

Why Choose Us?

With a reputation for excellence and a commitment to customer satisfaction, we take pride in delivering the best experience possible.

When you buy from The Garage Door Company, you can be confident you'll receive the highest quality products and service. But don't just take our word for it— see what our previous customers have to say about their experience.

Our Steps



Request a survey



Leave the measuring to our expert team



We take care of all installations

Being recognised by Which? Trusted Traders underscores our commitment to excellence and reinforces our reputation as a trustworthy and reliable provider of garage door solutions.

When you choose us, you're not just purchasing a product or service; you're investing in peace of mind and the confidence that comes from working with a company rigorously vetted and endorsed by one of the UK's most respected consumer advocacy organisations.



Proud member of Which? Trusted Traders

The Garage Door company upholds the highest standards of professionalism, quality, and customer service in the industry.



Explore Our Finance Options

We understand the importance of affordability without compromising quality, which is why we offer a range of payment plans to suit your budget.

Whether you prefer the convenience of major credit and debit cards, traditional methods like cheques and bank transfers, or want to explore interest-free finance or buy now, pay later options, we've got you covered.

SELF FUNDING

We accept all major credit and debit cards as well as cheques and bank transfers.

EXAMPLE Price £1200; Deposit £600 (50%); Final balance £600 payable 1 working day prior to installation.

BUY NOW PAY LATER (3 MONTHS)

14.9% APR Representative

With this option you can buy today with **nothing to pay for 3 months**. If you repay the agreement in full within the deferral period then there is no interest to pay (£29 exit fee applies) or after 3 months you will commence 120 monthly repayments. Please note interest will have accrued from the start of the agreement and will be added to your loan.

Only £99 deposit required.

Subject to minimum loan value of £500 after deposit.

REPRESENTATIVE EXAMPLE: Purchase Price £1,400.00; Deposit £99.00; Amount of Credit £1,301.00; Rate of Interest (fixed p.a.) 14.9%; Representative % APR 14.9%; Duration 123 months (inc. 3 month deferral); 120 Monthly Repayments of £20.65; Total Amount Payable £2,577.00 (Settlement Fee £29.00).

0% INTEREST-FREE

Spread the cost of your garage door over 12 months with interest-free credit.

REPRESENTATIVE EXAMPLE: Purchase price £2,100.00; Deposit £99.00; Amount of credit £2,001.00; Duration of agreement 12 months; Rate of interest 0%; Representative % APR 0%; 12 monthly payments of £166.75; Total amount payable £2,100.00.

Spread the cost of your garage door over 18 months with interest-free credit.

REPRESENTATIVE EXAMPLE: Purchase price £3,100.00; Deposit £99.00; Amount of credit £3,001.00; Duration of agreement 18 months; Rate of interest 0%; Representative % APR 0%; 18 monthly payments of £166.72; Total amount payable £3,100.00.

Spread the cost of your garage door over 24 months with interest-free credit.

REPRESENTATIVE EXAMPLE: Purchase price £4,100.00; Deposit £99.00; Amount of credit £4,001.00; Duration of agreement 24 months; Rate of interest 0%; Representative % APR 0%; 24 monthly payments of £166.70; Total amount payable £4,009.80.

Credit is subject to status and affordability. Terms & Conditions Apply. The Garage Door Company Limited FRN: Register no. 723042, 5-9 North Luton Industrial Estate, Sedgwick Road, Luton, LU4 9DT is a credit broker, not the lender and is authorised and regulated by the Financial Conduct Authority. Credit is provided by Novuna Personal Finance, a trading style of Mitsubishi HC Capital UK PLC. Authorised and Regulated by the Financial Conduct Authority.

CREATE THE PERFECT MATCH

Interested In a Matching Entrance Door?

Did you know The Garage Door Company offer a wide range of Composite and GRP Composite Entrance doors? Ask our team or your surveyor for further information or visit our website.

Advantages

- ☒ Low Maintenance
- ☒ 10 Year Guarantee
- ☒ High Security





To find your local stockist visit
www.thegaragedoorcompany.ltd.uk
T 0800 533 5700



German Engineering, Built in Britain.