



Welcome Home In Style

The Door Canopy Collection



German Engineering, Built in Britain.

Welcome to The Garage Door Company

With more than 35 years of industry experience, The Garage Door Company has built a reputation for quality, expertise and exceptional customer service.

As the UK's largest retailer of garage doors, we offer an extensive choice of styles and finishes, supported by knowledgeable advice and a service tailored to your needs. This same commitment to quality and detail is reflected in our range of door canopies.

This brochure showcases our carefully selected collection, featuring designs from traditional to contemporary. Whether you are looking to enhance your home's kerb appeal, protect your entrance from the elements or complement your existing garage door, you'll find a door canopy to suit your style and requirements.



Shields your entrance from rain, keeping doorways and steps dry and safe.



Made in the United Kingdom for lasting performance.



Load-tested designs with exceptional strength and weather resistance.



Durable materials that retain their look with minimal upkeep.

The GarageDoor
Company.ltd.uk

German Engineering, Built in Britain

Contents



The Door Canopy Collection

TRADITIONAL CANOPIES

DuoLine - Peak, Linear & Arc Canopies	4
DuoLine - Grid & Wave Canopies	5

MONOLINE CANOPIES

6

FLATLINE DOOR CANOPIES

FlatLine - Sleak & Flair Canopies	7
-----------------------------------	---



Traditional Canopies

Create a timeless entrance with a Door Canopy Kit. Available in a range of sizes, with a choice of roof finishes, brackets and trusses, it can be tailored to complement your home.

Handmade in the United Kingdom, this classic front door canopy combines the traditional appearance and refined finish of finely crafted timber with the enhanced durability of modern materials.

Manufactured from a blend of high-performance, impact-resistant polymers, it offers excellent strength, weather resistance and long-lasting performance. Each canopy is supplied fully decorated and finished with a UV-stable protective coating to help reduce colour fading caused by prolonged exposure to sunlight.

DuoLine - Peak Canopy



DuoLine - Peak Canopy | White Frame
Anthracite Roof | Curved Brackets



DuoLine - Peak Canopy | Anthracite Frame
Terracotta Roof | Straight Brackets



DuoLine - Peak Canopy | Black Frame
Brown Roof | Curved Brackets

DuoLine - Linear Canopy



DuoLine - Linear Canopy | White Frame
Brown Roof | Straight Brackets



DuoLine - Linear Canopy | Anthracite Frame
Anthracite Roof | Curved Brackets



DuoLine - Linear Canopy | Black Frame
Terracotta Roof | Curved Brackets

DuoLine - Arc Canopy



DuoLine - Arc Canopy | White Frame
Terracotta Roof | Curved Brackets



DuoLine - Arc Canopy | Anthracite Frame
Brown Roof | Straight Brackets



DuoLine - Arc Canopy | Black Frame
Anthracite Roof | Curved Brackets

DuoLine - Grid Canopy



DuoLine - Grid Canopy | White Frame
Anthracite Roof | Straight Brackets



DuoLine - Grid Canopy | Anthracite Frame
Terracotta Roof | Straight Brackets



DuoLine - Grid Canopy | Black Frame
Brown Roof | Curved Brackets

DuoLine - Wave Canopy



DuoLine - Wave Canopy | White Frame
Anthracite Roof | Curved Brackets




DuoLine - Wave Canopy | Anthracite Frame
Brown Roof | Curved Brackets




DuoLine - Wave Canopy | Black Frame
Terracotta Roof | Straight Brackets

DIMENSIONS




Internal Width (A) mm	Projection (B) mm	Height (C) mm	Width (D) mm
1040	600	1237	1253
1217	600	1335	1430
1394	600	1423	1607
1570	600	1510	1784
1747	600	1608	1961
1924	600	1688	2137

FRAME COLOURS



ROOF COLOURS



MonoLine Canopies

The MonoLine Canopy is one of our most popular designs, offering a versatile and attractive solution for both contemporary and period properties.

Manufactured from durable, low-maintenance WoodEx material with UV-stable colourants, the MonoLine is available with either an extruded tile-effect roof or prepared for finishing with standard concrete or slate tiles. Standard sizes have been load tested to destruction, withstanding forces in excess of one tonne, providing excellent strength and long-lasting performance.



MonoLine Canopy | White Frame
Anthracite Roof | Straight Brackets



MonoLine Canopy | Anthracite Frame
Brown Roof | Curved Brackets



MonoLine Canopy | Black Frame
Terracotta Roof | Straight Brackets

DIMENSIONS

Internal Width (A) mm	Projection (B) mm	Height (C) mm	Width (D) mm
1050	600	1206	1230
1350	600	1206	1530
1650	600	1206	1830
1950	600	1206	2130
2250	600	1206	2430

ROOF COLOURS

Grey Composite
Brown Composite
Terracotta Composite

FRAME COLOURS

Anthracite Grey (Ral 7016)
Black (Ral 9005)
White (Ral 9016)



FlatLine Door Canopies

Give your entrance a clean, modern finish with the Sleak and Flair FlatLine Door Canopies. With its sleek 600 mm projection, this low-maintenance canopy is designed to complement a wide range of homes while providing reliable protection from the elements.

The canopy features a durable WoodEx base, manufactured from a blend of high-performance polymers and UV-stable colourants, combined with a GRP roof incorporating an attractive lead-effect finish. Lightweight yet exceptionally strong, standard sizes have been load tested to withstand a uniformly distributed load of more than 750 kg.

Fully compliant, tested fixings and comprehensive fitting instructions are included as standard.

The WoodEx base is maintenance-free and can also be painted with standard, readily available paints should you wish to change its colour in the future.

Also known as a flat front door porch canopy, overdoor canopy, door awning or door portico, the FlatLine Door Canopy Kit is proudly made in the UK and is designed to enhance entrances of all styles.

FlatLine - Sleak Canopy



FlatLine Sleak Canopy | White Frame



FlatLine Sleak Canopy | Anthracite Frame

FlatLine - Flair Canopy



FlatLine Flair Canopy | White Frame | With Brackets



FlatLine Flair Canopy | Anthracite Frame | With Brackets



FlatLine Flair Canopy | White Frame | No Brackets



FlatLine Flair Canopy | Anthracite Frame | No Brackets

DIMENSIONS

Width (A) mm	Projection (B) mm	Height (C) mm	Upstand Height (D) mm
1200	600	120	1500
1500	600	120	1800
1800	600	120	2100

FRAME COLOURS

Anthracite Grey (Ral 7016)
White (Ral 9016)


Technical Data Sheet

Technical Drawing & Table Key


1	Traditional DuoLine Canopies
2	MonoLine Door Canopy
3	FlatLine - Sleak Canopy
4	FlatLine - Flair Canopy

A	Sizes
B	Clear Opening Width
C	Overall Canopy Width
D	Minimum Headroom Clearance
E	Overall Projection

1. Traditional Canopies




2. MonoLine Canopies



3. FlatLine - Sleak Canopies



4. FlatLine - Flair Canopies



Technical Table - Sizes

Design	A	B	C	D	E
Traditional DuoLine Door Canopy	1040	1040	1253	600	600
Traditional DuoLine Door Canopy	1217	1217	1430	600	600
Traditional DuoLine Door Canopy	1394	1394	1607	600	600
Traditional DuoLine Door Canopy	1570	1570	1784	600	600
Traditional DuoLine Door Canopy	1747	1747	1961	600	600
Traditional DuoLine Door Canopy	1924	1924	2137	600	600

Design	A	B	C	D	E
MonoLine Door Canopy	1050	1050	1230	500	500
MonoLine Door Canopy	1350	1350	1530	500	500
MonoLine Door Canopy	1650	1650	1830	500	500
MonoLine Door Canopy	1950	1950	2130	500	500
MonoLine Door Canopy	2250	2250	2430	500	500
MonoLine Door Canopy	1924	1924	2137	600	600

Design	A	B	C	D	E
FlatLine - Sleak Door Canopy	1200		1200		600
FlatLine - Sleak Door Canopy	1500		1500		600
FlatLine - Sleak Door Canopy	1800		1800		600

Design	A	B	C	D	E
FlatLine - Flair Door Canopy	1200		1200		600
FlatLine - Flair Door Canopy	1500		1500		600
FlatLine - Flair Door Canopy	1800		1800		600

Care and Maintenance

Composite canopies are designed to require minimal maintenance while retaining their appearance and structural performance for many years.

- **Routine maintenance:** Clean the canopy at least annually, or preferably twice a year, using warm water and mild household detergent. Use soft brushes, cloths, or sponges and avoid abrasive cleaners.
- **Regular inspections:** Check fixings, surfaces, structural condition, drainage, seals, and joints for damage or deterioration. Early identification of problems can prevent expensive repairs.
- **Spring:** Remove winter debris and organic growth, clean drainage areas, and check for damage caused by winter weather.
- **Summer:** Monitor for UV degradation, thermal movement, and storm damage. Check expansion joints and flexible connections remain effective.
- **Autumn:** Clear leaves and debris from gutters and drainage outlets, check weatherproofing, and make sure all components are securely fastened before winter.
- **Winter:** Remove potentially hazardous ice carefully, maintain effective drainage during freezing conditions, and keep areas beneath the canopy clear and safe.
- **Cleaning frequency:** Bi-annual cleaning in spring and autumn is recommended, with more frequent cleaning where there is heavy pollution or significant tree coverage.
- **Professional cleaning:** Consider professional services where access is difficult, staining is extensive, or safety is a concern.

Composite canopies are relatively low maintenance. Regular cleaning, seasonal inspections, and keeping drainage systems clear are the main requirements for preserving their appearance, safety, and long-term performance.

Warranty

All canopies come with a 10-year manufacturer's warranty covering structural integrity and UV stability during normal use. What's covered: Manufacturing defects, material degradation, structural problems, and UV-related performance or appearance issues.

- **What's excluded:** Damage caused by improper installation, misuse, accidental impact, extreme weather, or inadequate maintenance/normal wear.
- **Installation:** The canopy must be installed according to the supplied instructions. Professional installation is not required, although it may be recommended for complex installations.
- **Making a claim:** Contact customer service with details and photographs of the issue. Problems will be assessed and, where appropriate, repaired or resolved through replacement parts or components.
- **Warranty period:** Coverage starts automatically from the date of purchase, with no registration required.
- **Proof of purchase:** Customers should retain their purchase documentation to help process claims efficiently.

The warranty provides long-term protection against manufacturing and material-related problems, provided the canopy is correctly installed and properly maintained.

Technical Notes

Our canopies are not designed to support additional weight from hanging baskets or climbing plants. Adding such items may void your warranty and compromise structural integrity.

Traditional Door Canopy with Brackets can handle 1,025kg/m².

MonoLine Door Canopy can handle 1,033kg/m².

FlatLine - Sleak Door Canopy can handle 661kg/m².

FlatLine - Flair Door Canopy with Gallows Brackets can handle 929kg/m².





The Garage Door company
Unit 5-9 North Luton Industrial Estate, Sedgwick Road, Luton, LU4 9DT
T 0800 533 5700
www.thegaragedoorcompany.ltd.uk
Opening times: Mon-Fri 8.30am-5.00pm

V09.26.1. The Garage Door Company reserves the right to alter specifications to design and manufacture without notification. All specifications are correct at time of publication, errors and omissions excepted.